

# Integration Protocols and Messaging

Author: JavaChamp Team

Senior Java Developer @QuizOver.com

Copyright (c) 2014-2015

# Create, Share, and Discover Online Quizzes.

QuizOver.com is an intuitive and powerful online quiz creator. [learn more](#)

Join QuizOver.com



## How to Analyze Stocks

By Yasser Ibrahim

1 month ago  
12 Responses

© iStock: Thomson Moter



## Pre Employment English

By Katharina jennifer N

5 months ago  
19 Responses

© iStock: Albin



## Lean Startup Quiz

By Yasser Ibrahim

2 months ago  
16 Responses

© iStock: Gekwaw Choo

Powered by QuizOver.com

The Leading Online Quiz & Exam Creator

Create, Share and Discover Quizzes & Exams

<http://www.quizover.com>

## Disclaimer

All services and content of QuizOver.com are provided under QuizOver.com terms of use on an "as is" basis, without warranty of any kind, either expressed or implied, including, without limitation, warranties that the provided services and content are free of defects, merchantable, fit for a particular purpose or non-infringing.

The entire risk as to the quality and performance of the provided services and content is with you.

In no event shall QuizOver.com be liable for any damages whatsoever arising out of or in connection with the use or performance of the services.

Should any provided services and content prove defective in any respect, you (not the initial developer, author or any other contributor) assume the cost of any necessary servicing, repair or correction.

This disclaimer of warranty constitutes an essential part of these "terms of use".

No use of any services and content of QuizOver.com is authorized hereunder except under this disclaimer.

The detailed and up to date "terms of use" of QuizOver.com can be found under:

<http://www.QuizOver.com/public/termsOfUse.xhtml>

## eBook Content License

Oracle, Sun, Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

### Creative Commons License

Attribution-NonCommercial-NoDerivs 3.0 Unported (CC BY-NC-ND 3.0)

<http://creativecommons.org/licenses/by-nc-nd/3.0/>

You are free to:

Share: copy and redistribute the material in any medium or format

The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

**Attribution:** You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

**NonCommercial:** You may not use the material for commercial purposes.

**NoDerivatives:** If you remix, transform, or build upon the material, you may not distribute the modified material.

**No additional restrictions:** You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

# Table of Contents

Quiz Permalink: <http://www.quizover.com/question/java-integration-technologies>

Author Profile: <http://www.quizover.com/user/profile/Java.Champ>

## 1. Integration Protocols and Messaging

## 4. Chapter: Integration Protocols and Messaging

### 1. Integration Protocols and Messaging Questions

#### 4.1.1. A provider of a web service is usually :

Author: JavaChamp Team

A provider of a web service is usually :

Please choose only one answer:

- another local business component in the application
- a remote business component in another application
- a entity (data component) in another application

Check the answer of this question online at QuizOver.com:

Question: [when to use web service?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-web-service?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-web-service?pdf=3044>

## 4.1.2. What is a Webservice ?

Author: JavaChamp Team

What is a Webservice ?

Please choose only one answer:

- A Webservice is a part of your business logic exposed to other distributed applications to get benefit of
- A Webservice is a collection of downloadable web components in you application, being available for other distributed applications
- A Webservice is a protocol used to enable components of the business tier and components of the presentation tier to exchange messages asynchronously

Check the answer of this question online at QuizOver.com:

Question: [what is a webservice ?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-a-webservice?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-a-webservice?pdf=3044>

#### 4.1.3. The requester and the provider of the a web service must be impleme...

Author: JavaChamp Team

The requester and the provider of the a web service must be implemented using the same technology (for example only Java to Java)

Is this statement correct?

Please choose only one answer:

- The statement is correct
- The statement is incorrect

Check the answer of this question online at QuizOver.com:

Question: [who can use web services?](#)

Flashcards:

<http://www.quizover.com/flashcards/who-can-use-web-services?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/who-can-use-web-services?pdf=3044>

#### 4.1.4. Which technology is Simple Object Access Protocol (SOAP) strongly a...

Author: JavaChamp Team

Which technology is Simple Object Access Protocol (SOAP) strongly associated with?

Please choose only one answer:

- Java Messaging Services (JMS)
- Java Connectivity Architecture (JCA)
- WebServices
- CORBA

Check the answer of this question online at QuizOver.com:

Question: [what is simple object access protocol \(soap\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-simple-object-access-protocol-soap-10a82?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-simple-object-access-protocol-soap-10a82?pdf=3044>

#### 4.1.5. What is TRUE about Simple Object Access Protocol (SOAP) ?

Author: JavaChamp Team

What is TRUE about Simple Object Access Protocol (SOAP) ?

Please choose all the answers that apply:

- SOAP is a protocol used in conjunction with web services technology
- SOAP outlines and defines the specifications used to describe a web service to its requester
- A SOAP message is formatted in XML
- SOAP is platform dependent

Check the answer of this question online at QuizOver.com:

Question: [what is simple object access protocol \(soap\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-simple-object-access-protocol-soap-10a83?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-simple-object-access-protocol-soap-10a83?pdf=3044>

#### 4.1.6. It is a directory that can be used by businesses worldwide to publi...

Author: JavaChamp Team

It is a directory that can be used by businesses worldwide to publish or discover web services.

Please choose only one answer:

- Web Services Description Language (WSDL)
- Simple Object Access Protocol (SOAP)
- Java Naming and Directory Interface (JNDI)
- Universal Description, Discovery and Integration (UDDI)

Check the answer of this question online at QuizOver.com:

Question: [what is universal description, discovery and integration \(uddi\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-universal-description-discovery-and-integration-uddi?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-universal-description-discovery-and-integration-uddi?pdf=3044>

#### 4.1.7. What is considered FALSE about a WSDL document ? (WSDL: Web Service...

Author: JavaChamp Team

What is considered FALSE about a WSDL document ? (WSDL: Web Services Description Language)

Please choose only one answer:

- WSDL is often used in combination with SOAP and an XML Schema to provide web services over the Internet
- A WSDL document provides the clients with some necessary information about the web service
- A WSDL document is written in XML
- The requester of a web service writes a WSDL document that includes the data necessary to communicate with the service
- This WSDL document can be published in public or private registry

Check the answer of this question online at QuizOver.com:

Question: [what is web services description language \(wsdl\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-web-services-description-language-wsdl?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-web-services-description-language-wsdl?pdf=3044>

#### 4.1.8. You would like to transmit SOAP messages between your web service e...

Author: JavaChamp Team

You would like to transmit SOAP messages between your web service endpoint and clients in a more secure way by encrypting the body content of the SOAP messages.

Which WebServices specifications would you probably use?

Please choose only one answer:

- WS-Encryption
- WS-Security
- WS-Atomic Transaction
- WS-Coordination

Check the answer of this question online at QuizOver.com:

Question: [when to use ws-security?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-wssecurity?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-wssecurity?pdf=3044>

#### 4.1.9. Which security concerns can WS-Security specifications address?

Author: JavaChamp Team

Which security concerns can WS-Security specifications address?

Please choose all the answers that apply:

- ensure that the sender of the SOAP message cannot repudiate
- hide the content of the SOAP message from the non involved parties
- prevent IP address spoofing
- prevent denial of service

Check the answer of this question online at QuizOver.com:

Question: [which security concerns can webservice-security specifications cover?](#)

Flashcards:

<http://www.quizover.com/flashcards/which-security-concerns-can-webservicessecurity-specifications-cover?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/which-security-concerns-can-webservicessecurity-specifications-cover?pdf=3044>

#### 4.1.10. Which security concerns can WS-Security specifications address?

Author: JavaChamp Team

Which security concerns can WS-Security specifications address?

Please choose all the answers that apply:

- ensure that the SOAP message has not been tampered with after it was sent
- prevent buffer overflow attack
- ensure that the sender of the SOAP message is the valid expected sender of this message
- ensure a reliable SOAP message delivery

Check the answer of this question online at QuizOver.com:

Question: [what does webservice security provide?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-does-webservice-security-provide?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-does-webservice-security-provide?pdf=3044>

#### 4.1.11. What is NOT TRUE about JAX-WS?

Author: JavaChamp Team

What is NOT TRUE about JAX-WS?

Please choose only one answer:

- JAX-WS is the successor of JAX-RPC
- Only message-oriented web services can be developed using JAX-WS, where RPC-oriented web services are no more an option
- JAX-WS is the primary Java API to create XML-based web services
- JAX-WS uses annotations, like @WebService or @WebMethod, to simplify the development of web services

Check the answer of this question online at QuizOver.com:

Question: [what is jax ws?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-jax-ws?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-jax-ws?pdf=3044>

#### 4.1.12. What does Java Architecture for XML Binding (JAXB) used for?

Author: JavaChamp Team

What does Java Architecture for XML Binding (JAXB) used for?

Please choose only one answer:

- use JAXB to send XML SOAP messages to web service endpoints
- use JAXB to map your java object representations in your code to XML documents and vice versa
- use JAXB to write web services
- use JAXB to bind between XML SOAP messages and JMS messages

Check the answer of this question online at QuizOver.com:

Question: [what does java architecture for xml binding \(jaxb\) used for?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-does-java-architecture-for-xml-binding-jaxb-used-for?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-does-java-architecture-for-xml-binding-jaxb-used-for?pdf=3044>

#### 4.1.13. You are responsible of connecting your company Java EE application ...

Author: JavaChamp Team

You are responsible of connecting your company Java EE application to a relational database.

Which technology should you start with first to test its applicability to the task?

Please choose only one answer:

- JDBC-ODBC bridge
- JDBC
- Java Connector Architecture (JCA)
- Web services

Check the answer of this question online at QuizOver.com:

Question: [when to use jdbc?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-jdbc?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-jdbc?pdf=3044>

#### 4.1.14. In which scenario would you probably use CORBA?

Author: JavaChamp Team

In which scenario would you probably use CORBA?

Please choose only one answer:

- A stateless bean would like to invoke a method in another stateless bean in a remote application
- A C++ application would like to invoke a method in a java application
- A Java EE application would like to connect to a database
- A Java EE application would like to expose some of its functionality as web services

Check the answer of this question online at QuizOver.com:

Question: [when to use corba?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-corba?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-corba?pdf=3044>

#### 4.1.15. What is Remote Procedure Call (RPC) used for?

Author: JavaChamp Team

What is Remote Procedure Call (RPC) used for?

Please choose only one answer:

- RPC is used to enable a stateless session bean to communicate with a stateful session bean in the same application residing in the same computer
- RPC is used to enable a program to request from another program in another computer, but in the same network, to execute a specified procedure
- RPC is used to asynchronously and remotely exchange messages between heterogeneous programs
- A RPC is a part of your business logic exposed to other distributed applications to get benefit of

Check the answer of this question online at QuizOver.com:

Question: [what is remote procedure call \(rpc\) used for?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-remote-procedure-call-rpc-used-for?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-remote-procedure-call-rpc-used-for?pdf=3044>

#### 4.1.16. What is JDBC used for?

Author: JavaChamp Team

What is JDBC used for?

Please choose all the answers that apply:

- to connect your Java application to a relational database
- to provide an interface to Java programmers to be able to query and update data in a database
- to enable a C++ application to invoke methods in a Java application
- to enable asynchronous and remote exchange of messages between Java programs

Check the answer of this question online at QuizOver.com:

Question: [what is jdbc used for?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-jdbc-used-for?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-jdbc-used-for?pdf=3044>

#### 4.1.17. What solution does Java EE Connector Architecture (JCA) provide?

Author: JavaChamp Team

What solution does Java EE Connector Architecture (JCA) provide?

Please choose only one answer:

- JCA enables a Java to Java integration
- JCA provides a solution to enable connectivity between Java EE-compliant application servers and enterprise information systems (EIS) already in existence
- JCA provides a solution to enable asynchronous and remote exchange of messages between Java EE applications

Check the answer of this question online at QuizOver.com:

Question: [what is java ee connector architecture \(jca\) used for?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-java-ee-connector-architecture-jca-used-for?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-java-ee-connector-architecture-jca-used-for?pdf=3044>

#### 4.1.18. Which non-functional characteristics (system-level contracts) does ...

Author: JavaChamp Team

Which non-functional characteristics (system-level contracts) does JCA define for connecting a Java EE-compliant application server to an EIS?

Please choose all the answers that apply:

- Backup contract
- Security contract
- Transaction contract
- Availability contract
- Scalability contract

Check the answer of this question online at QuizOver.com:

Question: [jca transaction inflow contracts](#)

Flashcards:

<http://www.quizover.com/flashcards/jca-transaction-inflow-contracts?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/jca-transaction-inflow-contracts?pdf=3044>

#### 4.1.19. Which system contracts were added to JCA 1.5 and don't exist in JCA...

Author: JavaChamp Team

Which system contracts were added to JCA 1.5 and don't exist in JCA 1.0?

Please choose all the answers that apply:

- Security contract
- Life Cycle Management
- Transaction contract
- Work Management Contracts
- Message Inflow

Check the answer of this question online at QuizOver.com:

Question: [which system contracts were added to jca 1.5?](#)

Flashcards:

<http://www.quizover.com/flashcards/which-system-contracts-were-added-to-jca-15?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/which-system-contracts-were-added-to-jca-15?pdf=3044>

#### 4.1.20. Which is TRUE about the system contracts defined by JCA for connect...

Author: JavaChamp Team

Which is TRUE about the system contracts defined by JCA for connectivity between Java EE-compliant application servers and EISs?

Please choose all the answers that apply:

- The "security contract" provides a prior authentication process before connecting to the EIS
- The resource adapter can submit work to the application server according to the "Transaction contract"
- The "connection contract" describes how the application server and the resource adapter manage, establish, pool and terminate their connections.
- The "transaction contract" describes how the application server and the resource adapter manage, establish, pool and terminate their connections.

Check the answer of this question online at QuizOver.com:

Question: [system contracts in java ee connector architecture \(jca\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/system-contracts-in-java-ee-connector-architecture-jca?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/system-contracts-in-java-ee-connector-architecture-jca?pdf=3044>

#### 4.1.21. Which design pattern is applied on Java Remote Method Invocation (R...

Author: JavaChamp Team

Which design pattern is applied on Java Remote Method Invocation (RMI)?

Please choose only one answer:

- State
- Proxy
- Template Method
- Flyweight

Check the answer of this question online at QuizOver.com:

Question: [which design pattern is applied on java remote method invocation \(rmi\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/which-design-pattern-is-applied-on-java-remote-method-invocation-rmi?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/which-design-pattern-is-applied-on-java-remote-method-invocation-rmi?pdf=3044>

#### 4.1.22. What is not TRUE about Java Remote Method Invocation (RMI)?

Author: JavaChamp Team

What is not TRUE about Java Remote Method Invocation (RMI)?

Please choose only one answer:

- RMI is used to integrate heterogeneous applications
- RMI uses Java object serialization to pass objects
- The Proxy design pattern is applied on RMI
- RMI implementation uses stub and skeleton objects

Check the answer of this question online at QuizOver.com:

Question: [what does java remote method invocation \(rmi\) do?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-does-java-remote-method-invocation-rmi-do?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-does-java-remote-method-invocation-rmi-do?pdf=3044>

#### 4.1.23. What is TRUE about Java Native Interface (JNI)?

Author: JavaChamp Team

What is TRUE about Java Native Interface (JNI)?

Please choose all the answers that apply:

- JNI is used by Java developers to add to their Java application platform-specific functionality that is not supported by standard Java class library
- JNI is used by Java developers to enable their Java application direct access to native databases
- A JNI native method is written in Java and compiled using a Java compiler
- JNI can be used to access legacy systems

Check the answer of this question online at QuizOver.com:

Question: [java jni api](#)

Flashcards:

<http://www.quizover.com/flashcards/java-jni-api?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/java-jni-api?pdf=3044>

#### 4.1.24. It is a set of interfaces defined by Java Connector Architecture (J...

Author: JavaChamp Team

It is a set of interfaces defined by Java Connector Architecture (JCA) used to provide an interaction mean between clients and EIS?

Please choose only one answer:

- Transaction contract
- Interaction contract
- Common Client Interface (CCI)
- Message Inflow

Check the answer of this question online at QuizOver.com:

Question: [when to use common client interface \(cci\)?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-common-client-interface-cci?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-common-client-interface-cci?pdf=3044>

#### 4.1.25. Your job is to develop SOAP based and RESTful Java Web services for...

Author: JavaChamp Team

Your job is to develop SOAP based and RESTful Java Web services for your company enterprise application, which of the following technology should you use?

Please choose only one answer:

- JAX-RPC
- JAX-WS
- JMS
- CORBA

Check the answer of this question online at QuizOver.com:

Question: [what is jax-ws soap?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-jaxws-soap?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-jaxws-soap?pdf=3044>

#### 4.1.26. What is Java API for XML Registries (JAXR) used for?

Author: JavaChamp Team

What is Java API for XML Registries (JAXR) used for?

Please choose only one answer:

- to write XML web services
- to write code used to enable XML document exchange between XML-based databases
- to search for webservices or publish your webservices in an ebXML Registry or in a UDDI Registry

Check the answer of this question online at QuizOver.com:

Question: [what is java api for xml registries \(jaxr\) used for?](#)

Flashcards:

<http://www.quizover.com/flashcards/what-is-java-api-for-xml-registries-jaxr-used-for?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/what-is-java-api-for-xml-registries-jaxr-used-for?pdf=3044>

#### 4.1.27. You have written a web service used to convert American metrics int...

Author: JavaChamp Team

You have written a web service used to convert American metrics into standard ones, and you would like to make this service publicly available. What should you do?

Please choose only one answer:

- You can publish your web service using JAX-WS in a UDDI
- You can publish your web service using JAXR in a UDDI
- You can publish your web service using JAXB in a UDDI

Check the answer of this question online at QuizOver.com:

Question: [when to use jaxr?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-jaxr?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-jaxr?pdf=3044>

#### 4.1.28. In the web services world, the REST (REpresentational State Transfe...

Author: Yasser Ibrahim

In the web services world, the REST (REpresentational State Transfer) is:

Please choose only one answer:

- A protocol
- A software architectural paradigm
- A standard API

Check the answer of this question online at QuizOver.com:

Question: [restful web service](#)

Flashcards:

<http://www.quizover.com/flashcards/restful-web-service?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/restful-web-service?pdf=3044>

#### 4.1.29. In a RESTful web service, you would use the HTTP methods as verbs t...

Author: Yasser Ibrahim

In a RESTful web service, you would use the HTTP methods as verbs to invoke the CRUD action (create, read, update, and delete)

Which of the following is true:

Please choose all the answers that apply:

- to read use HTTP get method
- to delete use HTTP delete method
- to create use HTTP post method
- to update use HTTP put method

Check the answer of this question online at QuizOver.com:

Question: [restful web services http methods](#)

Flashcards:

<http://www.quizover.com/flashcards/restful-web-services-http-methods?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/restful-web-services-http-methods?pdf=3044>

#### 4.1.30. Your company is planning to expose some of its services in a form o...

Author: Yasser Ibrahim

Your company is planning to expose some of its services in a form of web services.

The targeted business class clients are mainly on the road and using their mobile phones to conduct their business .

The new enterprise application is a Java EE web based application, and the web services are mainly stateless.

which type of web services (RESTful or SOAP) would you use in this case?

Please choose only one answer:

- SOAP 1.1
- SOAP 1.2
- RESTful

Check the answer of this question online at QuizOver.com:

Question: [when to use restful web seviles?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-restful-web-seviles?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-restful-web-seviles?pdf=3044>

#### 4.1.31. When is it most appropriate to architect your enterprise java appli...

Author: Yasser Ibrahim

When is it most appropriate to architect your enterprise java application using SOAP protocol web services over RESTful?

Please choose all the answers that apply:

- when client-server communication bandwidth is limited
- when the web service interface must be predefined in a concrete contract
- when a web based application utilizes AJAX components which consume the web service
- when asynchronous invocation is required

Check the answer of this question online at QuizOver.com:

Question: [when to use soap web services?](#)

Flashcards:

<http://www.quizover.com/flashcards/when-to-use-soap-web-services?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/when-to-use-soap-web-services?pdf=3044>

#### 4.1.32. Can JPA entities be tested outside the EJB container?

Author: JavaChamp Team

Can JPA entities be tested outside the EJB container?

Please choose only one answer:

- Yes
- No

Check the answer of this question online at QuizOver.com:

Question: [jpa unit testing](#)

Flashcards:

<http://www.quizover.com/flashcards/jpa-unit-testing?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/jpa-unit-testing?pdf=3044>

#### 4.1.33. Which of the following components can NOT be tested outside of the ...

Author: JavaChamp Team

Which of the following components can NOT be tested outside of the EJB container?

Please choose all the answers that apply:

- EJB 2 Entity beans
- EJB3 entities (JPA)
- EJB 3 stateful session beans
- EJB 3 stateless session beans

Check the answer of this question online at QuizOver.com:

Question: [junit ejb testing](#)

Flashcards:

<http://www.quizover.com/flashcards/junit-ejb-testing?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/junit-ejb-testing?pdf=3044>

4.1.34. Not all parts of the standard SOAP message are mandatory. The two r...

Author: JavaChamp Team

Not all parts of the standard SOAP message are mandatory. The two required parts of a SOAP message are:

Please choose all the answers that apply:

- an envelope
- a Header element
- a Body element
- a destination url element

Check the answer of this question online at QuizOver.com:

Question: [body element soap message](#)

Flashcards:

<http://www.quizover.com/flashcards/body-element-soap-message?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/body-element-soap-message?pdf=3044>

#### 4.1.35. Your application is contacting a web service which approves suffici...

Author: JavaChamp Team

Your application is contacting a web service which approves sufficient bank balance for users.

But for checking the bank balance, the web service requires authentication information from the user (a username and password).

Where in the SOAP message being sent to the Web Service, would these authentication information be placed?

Please choose only one answer:

- in the envelope
- in the message body
- in the message header
- in the fault element

Check the answer of this question online at QuizOver.com:

Question: [soap authentication java example](#)

Flashcards:

<http://www.quizover.com/flashcards/soap-authentication-java-example?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/soap-authentication-java-example?pdf=3044>

#### 4.1.36. What is NOT true about StAX?

Author: JavaChamp Team

What is NOT true about StAX?

Please choose all the answers that apply:

- it is used to process XML documents
- it is a "document object model" programming model
- it is a "document streaming" programming model
- it is a "pull" parser
- it is a "push" parser
- it is a member of "JAXP APIs" family

Check the answer of this question online at QuizOver.com:

Question: [stax api java](#)

Flashcards:

<http://www.quizover.com/flashcards/stax-api-java?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/stax-api-java?pdf=3044>

#### 4.1.37. Can stateless session beans be tested outside the EJB container?

Author: JavaChamp Team

Can stateless session beans be tested outside the EJB container?

Please choose only one answer:

- Yes
- No

Check the answer of this question online at QuizOver.com:

Question: [stateless session beans unit testing](#)

Flashcards:

<http://www.quizover.com/flashcards/stateless-session-beans-unit-testing?pdf=3044>

Interactive Question:

<http://www.quizover.com/question/stateless-session-beans-unit-testing?pdf=3044>